



US 20230174383A1

(19) United States

(12) Patent Application Publication

Hodgkins et al.

(10) Pub. No.: US 2023/0174383 A1

(43) Pub. Date: Jun. 8, 2023

- (54) MODIFIED ZEOLITES THAT INCLUDE HAFNIUM-CONTAINING ORGANOMETALLIC MOIETIES AND METHODS FOR MAKING SUCH

(71) Applicants: Saudi Arabian Oil Company, Dhahran (SA); King Abdullah University of Science and Technology, Thuwal (SA)

(72) Inventors: Robert Peter Hodgkins, Dhahran (SA); Omer Refa Koseoglu, Dhahran (SA); Jean-Marie Maurice Basset, Thuwal (SA); Kuo-Wei Huang, Thuwal (SA); Anissa Bendjeriou Sedjerari, Thuwal (SA); Manoj K. Gangwar, Thuwal (SA); Sathiyamoorthy Murugesan, Thuwal (SA)

(73) Assignees: Saudi Arabian Oil Company, Dhahran (SA); King Abdullah University of Science and Technology, Thuwal (SA)

(21) Appl. No.: 18/101,963

(22) Filed: Jan. 26, 2023

Related U.S. Application Data

(62) Division of application No. 17/231,191, filed on Apr. 15, 2021, now Pat. No. 11,591,230.

Publication Classification

- (51) Int. Cl.
C01B 39/40 (2006.01)
B01J 35/02 (2006.01)

- B01J 35/10 (2006.01)
B01J 37/02 (2006.01)
B01J 37/16 (2006.01)
C01B 39/02 (2006.01)
B01J 29/40 (2006.01)

- (52) U.S. Cl.
CPC C01B 39/40 (2013.01); B01J 35/023 (2013.01); B01J 35/1061 (2013.01); B01J 35/1066 (2013.01); B01J 37/0203 (2013.01); B01J 37/16 (2013.01); C01B 39/026 (2013.01); B01J 29/405 (2013.01); C01P 2002/70 (2013.01); 2006/16 (2013.01); C01P 2002/82 (2013.01); C01P 2002/86 (2013.01); C01P 2004/03 (2013.01); C01P 2004/04 (2013.01); C01P 2004/62 (2013.01); C01P 2004/64 (2013.01)

(57) ABSTRACT

Disclosed herein are modified zeolites and methods for making modified zeolites. In one or more embodiments disclosed herein, a modified zeolite may include a microporous framework including a plurality of micropores having diameters of less than or equal to 2 nm. The microporous framework includes at least silicon atoms and oxygen atoms. The modified zeolite may further include organometallic moieties each bonded to bridging oxygen atoms. The organometallic moieties include a hafnium atom. The hafnium atom is bonded to a bridging oxygen atom, and bridging oxygen atom bridges the hafnium atom of the organometallic moiety and a silicon atom of the microporous framework.

M. Gangwar
08/04/24

Dr. Manoj Kumar Gangwar
Assistant Professor
Dept. of Chemistry
University of Allahabad
M.A., Ph.D.